




A6

ANTENA / ANTENNA / ANTENA / ANTENNE / ANTENNA / ANTENA / ANTENN / ΚΕΡΑΙΑ


Refs. 140601 (A6 ANTENNA UHF), 140602 (A6 ANTENNA UHF + PSU 12V), 140603 (A6 ANTENNA UHF + PSU 24V)















1




2



3





Referencias	References	140601, 140602, 140603	
Modo inteligente (BOSS)	Smart mode (BOSS)		ON
Frecuencia de trabajo	Operating frequency	MHz	470-694
Canales	Channels		21-48
Ganancia	Gain	dB	40*
Tensión de alimentación	Supply voltage	V	12-24
Consumo máx. de corriente	Max. current consumption	mA	40
Carga al viento	Wind load	N	103,87 @ 130 km/h
			142,85 @ 150 km/h
Diámetro mástil	Mast diameter	mm	20-50

La ganancia varia automáticamente en función del nivel de salida en modo inteligente (requiere alimentar la antena) / Gain varies automatically depending on the output level in smart mode (requires antenna power supply) / O ganho varia automaticamente dependendo do nível de saída no modo inteligente (requer alimentação da antena) / Le gain varie automatiquement en fonction du niveau de sortie en mode intelligent (nécessite l'alimentation de l'antenne) / Il guadagno varia automaticamente in base al livello di uscita in modalità intelligente (richiede l'alimentazione dell'antenna) / W trybie inteligentnym wzmacnienie zmienia się automatycznie w zależności od poziomu wyjściowego (wymaga zasilania anteny) / Med smart läge aktiverad justeras förstärkningen efter signalnivån på dess utgång (kräver strömförsörjning till antennen) / Αυτόματη απολαβή βάσει στάθμης εξόδου σε «έξυπνη» λειτουργία (12/24v DC ενισχυτή ή PSU ενισχυτή ιστού).



Fabricante / Manufacturer / Fabricant / Produttore / Producent / Tillverkare / Κατασκευαστής:
 Televés S.A.U. Rúa B. de Conxo, 17 - 15706 Santiago de Compostela, A Coruña. Spain www.televes.com

