



## 586 mm window accessory Zinc + RCP

Tubular bracket with a special fixing part for antenna installation on window panes (screw mounting), and 586 mm separation. The tube's diameter is 30 mm (Ø 30 mm), and it is 1 mm thick. Steel mast with an outstanding resistance to corrosion, thanks to the double treatment consisting in galvanizing and reactive coating process (RCP).

---

<b>Ref.</b>	2117
<b>EAN13</b>	8424450021170

---

### Other features

---

<b>Colour</b>	Grey
---------------	------

---

### Packaging info

---

<b>Box</b>	1 pcs.
------------	--------

---

### Physical data

---

<b>Photo with dimensions</b>	2.00
<b>Net weight</b>	1,640.00 g
<b>Gross weight</b>	1,640.00 g
<b>Width</b>	600.00 mm
<b>Height</b>	300.00 mm
<b>Depth</b>	30.00 mm
<b>Main product weight</b>	740.00 g

---

### Highlights

---

- Zinc coating + RCP: Outstanding resistance to corrosion

### Main features

---

- The tube is equipped with a black cap to prevent water from accumulating inside the support.

## Technical specifications : Ref. 2117

Support model		Supporting bracket
Support material		Steel
Mast diameter	mm	30
Distance	cm	58,6