Televes



Angle bracket, 128 mm Zinc + RCP

Angle bracket for mast wall mounting (screw mounting), and 128 mm separation. Installed in pairs to secure the mast in two spots.

Steel mast with an outstanding resistance to corrosion, thanks to the double treatment consisting in galvanizing and reactive coating proccess (RCP).

| Ref. | 2409 |
|-------|---------------|
| EAN13 | 8424450024096 |

Other features

| Grey |
|----------|
| |
| |
| 10 pcs. |
| 120 pcs. |
| |

Physical data

| Photo with dimensions | 2.00 |
|-----------------------|-----------|
| Net weight | 218.00 g |
| Gross weight | 218.00 g |
| Width | 31.00 mm |
| Height | 130.00 mm |
| Depth | 130.00 mm |
| Main product weight | 183.00 g |

Highlights

• Zinc coating + RCP: Outstanding resistance to corrosion

Televes

Main features

- Compatible with 35 mm-to-50 mm mast diameter range (Ø 35...50 mm)
- Includes U-bolt and nuts



Technical specifications: Ref. 2409

| Support model | | Stand pipe holder |
|------------------|----|-------------------|
| Support material | | Steel |
| Mast diameter | mm | 35 50 |
| Distance | cm | 12.8 |