

## Transition section, Zinc + Painting 450 to 550 tower

3m Transition section to adapt 450 and 550 range tower sections in order to build combined towers. The section is painted red (RAL 3020).

---

<b>Ref.</b>	3141
<b>Logical ref.</b>	TV4550
<b>EAN13</b>	8424450137673

---

### Other features

---

<b>Colour</b>	Red
<b>Finishing</b>	Zinc + Red painted

---

### Packaging info

---

<b>Unit</b>	1 pcs.
-------------	--------

---

### Physical data

---

<b>Photo with dimensions</b>	3.00
<b>Net weight</b>	91,000.00 g
<b>Gross weight</b>	91,000.00 g
<b>Width</b>	620.00 mm
<b>Height</b>	3,050.00 mm
<b>Depth</b>	536.00 mm
<b>Main product weight</b>	78,107.00 g

---

### Highlights


---

- Anchoring system with union nuts
- 550 tower maximum height: 140m (as per calculation conditions)
- Zinc coating + colour paint: oven-lacquering with polyester electrostatic powder

## Mounting details

---

It consists in fixing the lower section to the base, set it in upright position and levelling it. The subsequent Middle Sections are then mounted, equipped with the appropriate guy wires; the mounting is carried out by climbing on the previously mounted sections and hoisting the new section with the help of the appropriate lifting tools.



## Technical specifications : Ref. 3141

Surface facing the wind	m <sup>2</sup>	0.848
-------------------------	----------------	-------