



## Elbowed mounting IEC connector with shielded Ø5...6.9 mm

Part-mount IEC connector. The connector is taken apart to insert the inner conductor, and the cable is fixed when the parts are mounted back. Made of Zamak, it provides an outstanding shielded. Compatible with coaxial cable diameters Ø5...6.9 mm.

| Ref.         | 4131          |
|--------------|---------------|
| Logical ref. | KKW1000       |
| EAN13        | 8424450041314 |

| Other features  |           | Physical data |          |
|-----------------|-----------|---------------|----------|
| Connection type | Female    | Net weight    | 17.00 g  |
|                 |           | Gross weight  | 17.00 g  |
|                 |           | Width         | 32.00 mm |
| Packaging info  |           | Height        | 29.00 mm |
| Box             | 25 pcs.   | Depth         | 17.00 mm |
| Carton          | 250 pcs.  | Main product  | 17.00 g  |
| Bucket          | 1000 pcs. | weight        |          |

## Highlights

- Outstanding shielded against interference
- Separable, reusable connector



## Main features

- Elbow format
- No tools required for installation



## Technical specifications : Ref. 4131

| Connector type                    |   | CEI        |
|-----------------------------------|---|------------|
| Connection type                   |   | Female     |
| Coudé                             |   | Yes        |
| Connector mounting method         |   | Part-mount |
| Compatibility with coaxial cables |   | RG-6       |
| Nominal impedance                 | Ω | 75         |