



## L support: 380 mm x 350 mm, Ø45 mm Zinc + RCP

L-type tubular bracket for antenna wall mounting (screw mounting), and 380 mm separation. The tube's diameter is 45 mm (Ø 45 mm), and it is 1.5 mm thick.

Steel mast with an outstanding resistance to corrosion, thanks to the double treatment consisting in galvanizing and reactive coating process (RCP).

---

<b>Ref.</b>	7349
<b>Logical ref.</b>	WWH38RCP
<b>EAN13</b>	8424450073490

---

### Other features

---

<b>Colour</b>	Grey
---------------	------

---

### Packaging info

---

<b>Box</b>	6 pcs.
------------	--------

---

### Physical data

---

<b>Photo with dimensions</b>	7.00
<b>Net weight</b>	2,097.00 g
<b>Gross weight</b>	2,097.00 g
<b>Width</b>	200.00 mm
<b>Height</b>	435.00 mm
<b>Depth</b>	410.00 mm
<b>Main product weight</b>	2,097.00 g

---

### Highlights

---

- Zinc coating + RCP: Outstanding resistance to corrosion

## Main features

---

- The tube is equipped with a black cap to prevent water from accumulating inside the support.

## Discover

---

### Compatibility between supports and dishes:

Support	Ø 35mm	Ø 40mm	Ø 45mm			Ø 48mm	Ø 60mm	
Dishes	7393	719213	7349	7371	719202	757602	7576	719201
ISD	☐	☐	☐	☐	☐	☐	☐	☐
QSD	x	x	☐	☐	☐	☐	☐	☐
Other typical sizes								
600	☐	☐	☐	☐	☐	x	x	x
800	☐	☐	☐	☐	☐	☐	☐	☐
1000	x	x	x	x	☐	x	☐	☐
1100	x	x	x	x	x	x	☐	☐
1300	x	x	x	x	x	x	☐	☐

## Technical specifications : Ref. 7349

Support model		Wall mount
Support material		Steel
Mast diameter	mm	45
Distance	cm	38