



## T support: 750 mm x 200 mm Zinc + RCP

Inverted T-type tubular bracket for antenna floor mounting (screw mounting), 750 mm high. The tube's diameter is 60 mm (Ø 60 mm), and it is 2.9 mm thick.

Steel mast with an outstanding resistance to corrosion, thanks to the double treatment consisting in galvanizing and reactive coating process (RCP).

<b>Ref.</b>	7576
<b>EAN13</b>	8424450075760

### Other features

<b>Colour</b>	Grey
---------------	------

### Packaging info

<b>Unit</b>	1 pcs.
-------------	--------

### Physical data

<b>Photo with dimensions</b>	7.00
<b>Net weight</b>	4,583.00 g
<b>Gross weight</b>	4,583.00 g
<b>Width</b>	195.00 mm
<b>Height</b>	750.00 mm
<b>Depth</b>	195.00 mm
<b>Main product weight</b>	4,583.00 g

### Highlights

- Zinc coating + RCP: Outstanding resistance to corrosion

## Discover

---

### Compatibility between supports and dishes:

Support	Ø 35mm	Ø 40mm	Ø 45mm			Ø 48mm	Ø 60mm	
Dishes	7393	719213	7349	7371	719202	757602	7576	719201
ISD	☐	☐	☐	☐	☐	☐	☐	☐
QSD	x	x	☐	☐	☐	☐	☐	☐
Other typical sizes								
600	☐	☐	☐	☐	☐	x	x	x
800	☐	☐	☐	☐	☐	☐	☐	☐
1000	x	x	x	x	☐	x	☐	☐
1100	x	x	x	x	x	x	☐	☐
1300	x	x	x	x	x	x	☐	☐

## Technical specifications : Ref. 7576

Support model		Stand pipe holder
Support material		Steel
Mast diameter	mm	60
Distance	cm	75