



Ethernet Patch Cord U/UTP Cat 6 LSFH, white

Preconnected Ethernet patch cord with RJ45 connector at each end. It is made of a Category-6 data cable, U/UTP type, with a flexible copper inner conductor 24 AWG and outer sheath made of white LSFH (Low Smoke Free of Halogen).

| | |
|---------------------|---------------|
| Ref. | 209014 |
| Logical ref. | PK6P3W |
| EAN13 | 8424450222003 |

Other features

| | |
|---------------|--------|
| Colour | White |
| Length | 3.00 m |

Packaging info

| | |
|------------|---------|
| Box | 10 pcs. |
|------------|---------|

Physical data

| | |
|---------------------|-------------|
| Net weight | 116.00 g |
| Gross weight | 116.00 g |
| Width | 12.00 mm |
| Height | 3,010.00 mm |
| Depth | 10.00 mm |

Highlights

- Category-6 data cable
- U/UTP Unfoiled UTP Cable
- Flexible copper inner conductor (24AWG)
- Compatible with PoE/PoE+ (Power over Ethernet) technology, allowing the cable to power network devices
- PE (Polyethylene) copper conductor insulation, 0.95mm diameter

- LSFH (Low Smoke Free Of Halogen) outer sheath, 0.62mm thick and 5.7mm diameter
- 72% nominal speed
- RJ45 connectors with gold plated connector ends

