



## 24 VAtC micro CXT-5 coaxial cable Eca Euroclass, A+ Class shielded

RG-59 coaxial cable with copper inner conductor and tinned copper braid (Cu/CuSn) including aluminium and magnesium, and an excellent braid coverage (75%). A 24 VAtC cable with double shielded and PVC sheath.

<b>Ref.</b>	210601
<b>EAN13</b>	8424450143025

### Other features

<b>Colour</b>	White
<b>Length</b>	150.00 m

### Packaging info

<b>Reel</b>	150 m
<b>Box</b>	750 m
<b>Pallet</b>	9000 m

### Physical data

<b>Net weight</b>	25.00 g
<b>Gross weight</b>	25.00 g
<b>Width</b>	5.00 mm
<b>Height</b>	1,000.00 mm
<b>Depth</b>	5.00 mm
<b>Main product weight</b>	26.00 g

### Highlights

- Copper inner conductor and tinned copper braid with aluminium and magnesium

- Class A shielded
- Eca Euroclass

## Main features

---

- White-colour external PVC sheath
- 75 Ohm characteristic impedance
- 150 m laminated roll

## Mounting details

---

### DETAIL VIEW OF THE COAXIAL CABLE SECTION

- A**-Inner conductor
- B**-Dielectric
- C**-Foil
- D**-Braid
- E**-Outer sheath



