



## 24 VATC micro CXT-5 coaxial cable Eca Euroclass

RG-59 coaxial cable with copper inner conductor and tinned copper braid (Cu/CuSn) including aluminium and magnesium, and an outstanding braid coverage (55%). A 24 VATC cable with double shielded and PVC sheath.

|              |               |
|--------------|---------------|
| <b>Ref.</b>  | 210603        |
| <b>EAN13</b> | 8424450153031 |

### Other features

|               |          |
|---------------|----------|
| <b>Colour</b> | White    |
| <b>Length</b> | 100.00 m |

### Packaging info

|               |        |
|---------------|--------|
| <b>Reel</b>   | 100 m  |
| <b>Box</b>    | 500 m  |
| <b>Pallet</b> | 9000 m |

### Physical data

|                            |             |
|----------------------------|-------------|
| <b>Net weight</b>          | 28.00 g     |
| <b>Gross weight</b>        | 28.00 g     |
| <b>Width</b>               | 5.00 mm     |
| <b>Height</b>              | 1,000.00 mm |
| <b>Depth</b>               | 5.00 mm     |
| <b>Main product weight</b> | 25.00 g     |

### Highlights

- Copper inner conductor and tinned copper braid with aluminium and magnesium
- Eca Euroclass

### Main features

- White-colour external PVC sheath
- 75 Ohm characteristic impedance
- 100 m cardboard reel

## Mounting details

---

### DETAIL VIEW OF THE COAXIAL CABLE SECTION

**A**-Inner conductor

**B**-Dielectric

**C**-Foil

**D**-Braid

**E**-Outer sheath



