



## CXT-1 17 VAtC.A coaxial cable Eca Euroclass

RG-6 coaxial cable with copper-clad steel inner conductor and aluminium braid (CCS/Al), and an excellent braid coverage (77%). A 17 VAtC.A cable with double shielded and PVC sheath.

<b>Ref.</b>	212702
<b>Logical ref.</b>	CXT1B-250
<b>EAN13</b>	8424450137611

### Other features

<b>Colour</b>	Black
<b>Length</b>	250.00 m

### Packaging info

<b>Reel</b>	250 m
-------------	-------

### Physical data

<b>Net weight</b>	43.00 g
<b>Gross weight</b>	43.00 g
<b>Width</b>	6.00 mm
<b>Height</b>	1,000.00 mm
<b>Depth</b>	6.00 mm
<b>Main product weight</b>	36.00 g

### Highlights

- Copper-clad steel inner conductor and aluminium braid
- Eca Euroclass

### Main features

- White-colour external PVC sheath
- 75 Ohm characteristic impedance
- Available in reels of different lengths

## Discover

---

### **Double-shielded Class A coaxial cable**

The structure of these coaxial cables with a high-coverage aluminium braid, together with an overlapped foil made of aluminium and polyester, provides double-layer of shielding. These structural properties allow achieving the outstanding levels of shielding attenuation (SA) defined by Class A:

- For 30 MHz - 1000 MHz => SA > 85 dB
- For 1000 MHz - 2000 MHz => SA > 75 dB
- For 2000 MHz - 3000 MHz => SA > 65 dB

## Mounting details

---

### **DETAIL VIEW OF THE COAXIAL CABLE SECTION**

**A**-Inner conductor

**B**-Dielectric

**C**-Foil

**D**-Braid

**E**-Outer sheath



