



CXT-1 17 VAtC.A coaxial cable Eca Euroclass

RG-6 coaxial cable with copper-clad steel inner conductor and aluminium braid (CCS/Al), and an excellent braid coverage (77%). A 17 VAtC.A cable with double shielded and PVC sheath.

Ref.	212703
Logical ref.	CXT1/250
EAN13	8424450137628

Other features

Colour	White
Length	250.00 m

Packaging info

Reel	250 m
Pallet	7500 m

Physical data

Net weight	44.00 g
Gross weight	44.00 g
Width	6.00 mm
Height	1,000.00 mm
Depth	6.00 mm
Main product weight	39.00 g

Highlights

- Copper-clad steel inner conductor and aluminium braid
- Eca Euroclass

Main features

- White-colour external PVC sheath
- 75 Ohm characteristic impedance
- Available in reels of different lengths

Discover

Double-shielded Class A coaxial cable

The structure of these coaxial cables with a high-coverage aluminium braid, together with an overlapped foil made of aluminium and polyester, provides double-layer of shielding. These structural properties allow achieving the outstanding levels of shielding attenuation (SA) defined by Class A:

- For 30 MHz - 1000 MHz => SA > 85 dB
- For 1000 MHz - 2000 MHz => SA > 75 dB
- For 2000 MHz - 3000 MHz => SA > 65 dB

Mounting details

DETAIL VIEW OF THE COAXIAL CABLE SECTION

A-Inner conductor

B-Dielectric

C-Foil

D-Braid

E-Outer sheath



