



7 RtC 1/2" underground coaxial cable Dca Euroclass, A Class shielded

RG-11 coaxial cable with both conductors made of copper 100% (Cu/Cu) and excellent braid coverage (77%). Includes a petro-gel layer and an external UV-resistant LSFH coverage, which makes it perfect for indoor and outdoor installation, specially for underground use, free of deformations and degradations that could affect the quality of the transported signal. A 7 RtC cable with double shielded.

Ref.	214001
Logical ref.	EK27115L-T
EAN13	8424450214831

Other features

Colour	Grey
Length	500.00 m

Packaging info

Reel	500 m
Pallet	2000 m

Physical data

Net weight	210.00 g
Gross weight	210.00 g
Width	15.00 mm
Height	1,000.00 mm
Depth	15.00 mm
Main product weight	210.00 g

Highlights

- Copper conductors
- Class A shielded
- Dca-s2,d2,a1 Euroclass
- Petro-gel layer

Main features

- Grey-colour external UV-resistant LSFH sheath
- 75 Ohm characteristic impedance
- 500 m wood reel

Mounting details

DETAIL VIEW OF THE COAXIAL CABLE SECTION

A-Inner conductor

B-Dielectric

C-Foil

D-Braid

E-Outer sheath



