



Televés reserves the right to modify the product

Middle Section, Hot-Dip Galvanizing + Painting 550 ULTRA tower - Reinforced

3m middle section for the erection of a 550 ULTRA series tower.

Ref.	314011
Logical ref.	TMIT550XLW
EAN13	8424450178980

Other features

Colour	White
Finishing	Hot-Dip Galvanizing

Packing

Unit	1 pcs.
-------------	--------

Physical data

Net weight	182,000.00 g
Gross weight	182,000.00 g
Width	700.00 mm
Height	3,058.00 mm
Depth	638.00 mm
Main product weight	186,000.00 g

Highlights

- Anchoring system based on plates and union nuts
- Outstanding stiffness and mechanical strength
- Solid tube, no internal corrosion
- Maximum height of the 550 ULTRA tower: 200m (as per calculation conditions)

Main features

- The hot-dip galvanizing surface treatment provides enhanced durability in adverse corrosion conditions
- Colour paint, oven-lacquering with polyester electrostatic powder

Mounting details

It consists in fixing the lower section to the base, set it in upright position and levelling it. The subsequent Middle Sections are then mounted, equipped with the appropriate guy wires; the mounting is carried out by climbing on the previously mounted sections and hoisting the new section with the help of the appropriate lifting tools.

Technical specifications : Ref. 314011

Surface facing the wind	m ²	0.72
-------------------------	----------------	------