



## Through outlet 2 connectors: FM-TV, Attenuation: 10dB

Through outlet with two IEC connectors. The left connector is a male IEC for terrestrial TV, the right connector is a female IEC for radio (FM). Equipped with signal pass-through, which allows serial connection of multiple outlets. Installation with ref. 523211 terminal outlets is recommended.

DOCSIS 3.1 compatible.

<b>Ref.</b>	523312
<b>Logical ref.</b>	BKD1218-10ST
<b>EAN13</b>	8424450208564

### Packing

<b>Box</b>	1 pcs.
<b>Carton</b>	10 pcs.
<b>Pallet</b>	3600 pcs.

### Physical data

<b>Net weight</b>	90.00 g
<b>Gross weight</b>	90.00 g

### Highlights

- Robot-controlled automated manufacturing
- High shielding

### Main features

- Made of Zamak, high strength
- Compatible with coaxial cable with sheath diameters in the 4.3-to-6,9 mm range (Ø 4.3...6,9 mm)
- With clamp

## Technical specifications : Ref. 523312

Fastening method			Without screws	
Number of connectors			2	
R Connector			"IEC" female	
TV Connector			"IEC" male	
Pass-through output			Yes	
Bands				
Frequency range	MHz	FM		TV
		87.5 ... 108		5 ... 1220
Through losses	dB	2		2
Attenuation: R Connector	dB	10		--
Attenuation: TV Connector	dB	--		10
DC pass			OutIn	
Max. current	mA		500	