



Uninterruptible Power Supply (UPS) 1600VA/1000W ECO 8 IEC C13 Outputs

High performance Uninterruptible Power Supply System for the protection of equipment against power supply problems. The UPS battery provides autonomy in case of power failure. It will keep the equipment running for the safety time required to recover energy.

The UPS is a fundamental component for communications infrastructures, since it guarantees the constant availability of electricity, preventing data loss in the event of a power failure. It is also key to ensuring the proper operation and extend the life of the devices connected to it, as it protects equipment from power rises and falls.

Ref.	533010
Logical ref.	USUSV
EAN13	8424450265666

Packaging info

Box	1 pcs.
------------	--------

Physical data

Net weight	7,506.00 g
Gross weight	8,486.00 g
Width	305.00 mm
Height	81.00 mm
Depth	312.00 mm

Main product weight	7,800.00 g
----------------------------	------------

Highlights

- Efficient electrical design
- EcoControl function to automatically deactivate peripheral devices when the master device is switched off
- Includes high-performance over-voltage protection. Provides protection for data connections such as Ethernet, Internet, and telephone lines
- Periodic battery self-test, which ensures early detection of battery failure
- Equipped with a switch for easy recovery in case of short-circuit or overload
- 8 IEC C13 sockets for equipment connection
- 4 outputs equipped with both over-voltage protection and backup, and 4 outputs with over-voltage protection
- Damaged battery LED and audible alarm
- Black colour

Technical specifications

Rating	VA/W	1600/1000
Nominal input voltage	V	230
Input voltage	V	184 - 264 (adjustable to 161 - 284)
Output voltage	V	230 (adjustable to 220 and 240)
Frequency	Hz	50/60
Automatic battery test		Yes
Deep discharge protection	hours	4
Battery runtime at 50% load	min.	11
Battery runtime at 70% load	min.	6
Communication port	Type	USB