



Patch panel for Rack 19" 1RU, with 24 "RJ45" Cat 6A FTP female connectors

Designed as 1RU, it contains 24 RJ45 Cat 6A female connectors with FTP shielding for data transmission with Gigabit Ethernet standard. It allows to have a fixed distribution network on which signal can be changed just through a reconnection on the panel.

Ref.	533181
Logical ref.	UAF24FTP6A
EAN13	8424450238257

Packaging info

Box	1 pcs.
------------	--------

Physical data

Net weight	1,562.00 g
Gross weight	1,684.00 g
Width	483.00 mm
Height	45.00 mm
Depth	100.00 mm
Main product weight	1,562.00 g

Highlights

- Strength panel: Made of high strength die-casted zinc alloy
- Port labelling included
- Reusable connectors, allowing their connectorization on several occasions without deteriorating

or losing functionality

- Designed as 1RU
- Connection table (T568A o T568B) on the panel
- Includes 4 screws and 4 nuts for installation in a 19"-rack
- Includes 2 velcro flanges and 8 plastic ties, for securing and organizing the cables
- Black colour (RAL 9005)

Technical specifications : Ref. 533181

Number of rack units (HE)		1
Modular spacing (standard)	in	19
Number of connectors		24
Data connector type		RJ45
Connector shielding		Yes
Categorie		Cat 6A
Connection type		110
Contact resistance	mΩ	< 20
Insulation resistance	MΩ	500
Return losses (typ.)	dB	7.4
Width	mm	484
Height	mm	45
Depth	mm	103
Colour		Black