



"IEC" domestic amplifier 2 outputs: VHF/UHF - LTE700 Ready

Domestic amplifier with 2 outputs to extend the terrestrial television domestic network. Equipped with LTE700/5G filtering.

Ref.	552120
EAN13	8424450188880

Packaging info

Blister	1 pcs.
Box	8 pcs.

Physical data

Net weight	220.00 g
Gross weight	220.00 g
Width	146.00 mm
Height	53.00 mm
Depth	35.00 mm

Highlights

- Low-impact visual design and limited size
- Integrated high-performance switched-mode power supply (40% less than a standard amplifier)
- Fully automated manufacturing subject to the most stringent quality controls

Main features

- Manual gain control, protected by a folding cover
- Can be wall-mounted using screws
- “IEC” connectors

Technical specifications : Ref. 552120

Number of outputs		2
TV output		No
Frequency range	MHz	47 ... 694
Gain	dB	22
Output level DIN45004B	dB μ V	104
Output level EN50083 IMD3 2tones -60dB	dB μ V	111
Noise figure	dB	6
Input voltage	Vac	196 ... 253
Mains frequency		50 Hz / 60 Hz
Max. current	mA	23
Max. power consumption	W	2.3
Operating temperature	°C	-5 ... 45
Protection index		20