



T support: 1000 mm x 200 mm Hot-Dip Galvanizing

Inverted T-type tubular bracket for antenna wall mounting (screw mounting), 1 m high. The tube's diameter is 48 mm (Ø 48 mm), and it is 2.9 mm thick.

Hot-Dip Galvanizing steel mast with excellent resistance to corrosion, which ensures a longer outdoor service life.

Ref.	757602
Logical ref.	DH100N
EAN13	8424450143087

Other features

Colour	Grey
---------------	------

Packing

Unit	1 pcs.
-------------	--------

Physical data

Photo with dimensions	7.00
Net weight	4,404.00 g
Gross weight	4,404.00 g
Width	195.00 mm
Height	1,000.00 mm
Depth	195.00 mm
Main product weight	4,404.00 g

Highlights

- Hot-Dip Galvanizing treatment: the best resistance to corrosion

Main features

- The tube is equipped with a black cap to prevent water from accumulating inside the support.

Discover

Compatibility between supports and dishes:

Support	Ø 35mm	Ø 40mm	Ø 45mm			Ø 48mm	Ø 60mm	
Dishes	7393	719213	7349	7371	719202	757602	7576	719201
ISD	☐	☐	☐	☐	☐	☐	☐	☐
QSD	x	x	☐	☐	☐	☐	☐	☐
Other typical sizes								
600	☐	☐	☐	☐	☐	x	x	x
800	☐	☐	☐	☐	☐	☐	☐	☐
1000	x	x	x	x	☐	x	☐	☐
1100	x	x	x	x	x	x	☐	☐
1300	x	x	x	x	x	x	☐	☐

Technical specifications : Ref. 757602

Support model		Stand pipe holder
Support material		Steel
Mast diameter	mm	48
Distance	cm	100